




MANUFACTURED BY GRANITE INDUSTRIES

2024 CATALOG

OVERLANDCARTS.COM



OVERLAND
POWER CARTS

AGM

RECHARGEABLE BATTERY PACK
24V 55AH

TAKING THE PATH LESS TRAVELED

MANUFACTURED BY **GRANITE INDUSTRIES**

PH: 877-447-2648 | GRANITEIND.COM | ARCHBOLD, OH

TABLE OF CONTENTS

WHEELBARROWS & WAGONS

400 Series

Wheelbarrows & Wagons..... 6-7

4WD Wheelbarrows & Wagons 8-9

600 Series

Wheelbarrows & Wagons..... 10-11

950 Series

Wheelbarrows & Wagons..... 12-13

UTILITY CARTS

400 Series

Platform Cart.....14

Utility Hopper Cart14

Trash Cart15

Easy Wagons.....16

Hog Hauler.....17

RIDE ON CARTS

400 Series

Shophawk.....18

950 Series

Ride On Overland Carts.....19

HAND TRUCKS

600 Series

Transformer20

MultiMover.....21

1400 series

Mega Herc.....22

REPLACEMENT PARTS

Replacement Parts..... 23-27

Need a reason to choose Overland? We'll give you 10.

- 1. Easy to operate** – So easy to use, even a child can safely operate the cart. Plus it reduces back and muscle strain.
- 2. Made in the USA** – Quality you can feel. Engineered, manufactured and assembled by Granite Industries in Archbold, OH.
- 3. All electric power** – Zero emissions, zero fumes, environmentally friendly, and virtually no noise.
- 4. Minimal Maintenance** – No oil filters, air filters, or gas to add. Just remember to plug it in.
- 5. Long Battery Life** – Operate the cart 6-8 hours on a single charge.
- 6. Brute Strength** – Load the cart with 750+ pounds on a level surface. See product specs for actual capacities.
- 7. Lightweight/Easy Transport** - Most carts weigh under 300 pounds and fit in the back of a pickup for easy transport.
- 8. Huge Capacities** – Hopper sizes range from 6 cu ft to 20 cu ft. Our most popular size is 10 cu ft which is double a traditional wheelbarrow.
- 9. Customer Service** – If there is ever a problem or question, our support team in Archbold, OH will help to resolve your issue in a timely manner.
- 10. Safety Features** - Numerous safety features have been implemented to ensure that the user of the cart is always protected. AutoLock, HillSense, and SmoothStart are just a couple features that come standard on every cart.

What's New?

600, 950, 1400 SERIES

We've made a few upgrades with bigger motors and batteries with more power.

Lithium Battery Packs

Look for the lithium battery icon! Lithium battery packs are lighter weight and easier to handle.

Mega Herc Hand Truck

The Big Herc has bulked up into the Mega Herc. Now with a 1400w motor and Lithium batteries!



Information at the click of a button

Scan the QR codes using your phone's camera for more information. No special apps required on newer phones.

Overland Power Carts Warranty

Electronics, drive components and tires

1 year for all carts

Steel & aluminum components

3 years for wheelbarrows, wagons, utility and ride-on carts.

1 year for all power hand trucks

Satisfaction Guaranteed

Granite Industries is committed to making sure each Overland cart meets your expectations. All carts come with a 15 day money back guarantee. If you're not satisfied, simply contact Granite Industries at 877-447-2648 for a return authorization.

Granite Industries

595 East Lugbill Rd., Archbold, OH 43502

Phone: 877-447-2648 Email: support@graniteind.com

Built with you in mind.

Our carts come fully assembled

All Overland carts come fully assembled, fully charged and ready to use. All you have to do is open the crate and drive the cart away.

We designed our carts to be simple to operate:

- To turn on, pull the red On/Off switch out towards you.
- Toggle the black switch for forward and reverse.
- Grasp and twist the throttle.
- To turn the cart off, simply push the red button in.

Safety Features

- **Emergency Stop** – The red E-Stop button allows the user to immediately stop the progress of the cart.
- **AutoLock** – Automatically locks the wheels when the throttle is not being applied. This feature prevents the cart from rolling away from the user and also provides easy loading and unloading on inclines.
- **HillSense** – Allows the cart to be used safely on inclines and declines. The cart will travel at the speed set by the user, not by the incline or decline.
- **SmoothStart** – On acceleration, power is applied to the drive tires in a controlled manner ensuring a smooth start each time.
- **Four Wheel Design** – All Overland carts have at least four wheels to provide maximum stability.

Free Wheel Mode

If the battery runs out, the cart can be manually pushed the rest of the way home.

They've been tested (again and again)

The standard 24 amp hr rechargeable battery packs have been extensively tested. We are confident to rate the batteries with a 6-8 hour real world capacity. The cart was tested with three different weights (0 lb, 300 lb, 600 lb) and driven on both grass and pavement.



Quick Questions

How Do I Dump the Cart? Overland carts are very easy to dump. Simply pull out the spring loaded G-Pin on the side of the cart and tip the bucket forward. Be sure to lock it back in place after the hopper has been dumped.

When and how do I charge my batteries? For the best battery life, charge the cart after extended use or at the end of the work day. It's preferable to let the batteries charge overnight by plugging the cart into a 110V outlet. Don't worry, we added a battery management system that prevents overcharging.

SERIES OVERVIEW



Description	400 Series - 2WD	600 Series - 2WD	950 Series - 2WD	1400 Series - 2WD
Motor Voltage	24V	24V	24V	36V
Motor Watage	400W	600W	950W	1400W
Top Speed on Flat Surfaces (MPH)	3.0 MPH	3.5 MPH	3.5 MPH	3.5 MPH
Hard Flat Surface Capacity	750 lb	750 lb	750 lb	1,200 lb
Incline Rating: 12° on a 12' L x 30" H Ramp	400 lb	600 lb	750 lb	1,200 lb
Removable Battery Pack	Yes	Yes	Yes	Yes
Battery Pack Size	24V 24A	24V 39A	24V 39A (Qty: 2)	36V 24A
Expected Run Time when fully charged	7-8 hours 8-9 miles	7-8 hours 8-9 miles	7-8 hours 8-9 miles	7-8 hours
Battery Testing Method	Real World Test: Alternating laps with 0, 300 & 600 lb	Real World Test: Alternating laps with 0, 300 & 600 lb	MAX Load test: Alternating laps with 0 & 750 lb	MAX Load test: Alternating laps with 0 & 1,100 lb
Charger Type	24V 5A Smart Charger	24V 5A Smart Charger	24V 5A Smart Charger	36V 5A Smart Charger
Estimated Charge Time From Dead	4-6 hours	6-8 hours	6-8 hours	4-6 hours
Standard Tires	13" Flat Free Dual Ag Tires	13" Flat Free Dual Ag Tires	13" Flat Free Dual Ag Tires	16" All Terrain Pnumatic Tires
Max Hopper Size	10 cubic foot	10 cubic foot	10 cubic foot	--
Power Cart Warranty	1 year all parts, 3 years metal chassis	1 year all parts, 3 years metal chassis	1 year all parts, 3 years metal chassis	1 year all parts, 3 years metal chassis
Power Hand Truck Warranty	1 year all parts, 1 years metal chassis	1 year all parts, 1 years metal chassis	1 year all parts, 1 years metal chassis	1 year all parts, 1 years metal chassis

SERIES RECOMMENDATIONS

- 400 Series** Designed for residential and light commercial use.
- 600 Series** Designed as a higher performance version of our 400 series.
- 950 Series** Designed for hilly residential use and most commercial applications.
- 1400 Series** Designed for ultimate all around use. Best battery life and incline performance.

TERMINOLOGY

Motor Voltage: Indicates the voltage for the motor. 24V is good for all around performance. 36V offers exceptional motor efficiency.

Motor Watts: Indicates the overall power (Watts) going to the wheels. More watts = more torque.

Top Speed on Flat Surfaces: Indicates how quickly the cart moves when it is empty traveling on concrete. 3 MPH is considered an above average walking pace. 3.5 MPH is a brisk walking pace.

Hard Flat Surface Capacity: Indicates how much weight can be safely handled on hard flat surfaces such as concrete or asphalt.

Incline Rating: Indicates how much weight can be safely handled on a 12° incline 12' L x 30" H and a 14.5° incline 7' L x 21" H

Battery Pack Removable: Indicates if the battery pack can be removed. All removable battery packs can be removed without tools in under one minute.

Battery Pack Size: Indicates the capacity of the battery pack. All of our carts use high quality AGM sealed lead acid or lithium LiFePO4 batteries for optimal performance.

Battery Life: Indicates the expected life of the battery based on our testing. The mileage indicates how far the cart is expected to travel based on the same test.

Battery Test: Indicates the battery test used to determine the battery life. Our standard battery test is the "Real World Test" which involves loading weights of 0 lb, 300 lb and 600 lb in the cart in a continual rotation. The cart is then driven with that weight for a 0.12 mile lap which includes grass, pavement and an incline. A rest period is provided between each lap to mimic a typical work environment. The "MAX Load Test" is just like the real world test but alternates between 0 lb and the near maximum the cart can handle (750 lb or 1,100 lb).

Charger Type: Indicates the amp-hr rating of the charger included with the cart. All Overland chargers are smart chargers that charge the battery in three stages to optimize charge time and battery health.

Estimated Charge Time from Dead: Indicates how much time to allow for the battery to fully charge from dead. A rough estimate can be found by dividing the amp hr of the battery pack by the amp hr of the charger.

Standard Tires: Indicates the standard tires for each series of cart. We do offer different tires options depending on the desired application. Our standard tires offer the best possible performance for a majority of our customers.

Max Hopper Size: Indicates the largest possible wheelbarrow/wagon hopper available for the series. There are other hopper sizes available depending on the desired application.

Warranty: Indicates the standard warranty for the series. See page 2 for details.



70213

Power Dump



70186



70182



70179

FEATURES

- 24V 400W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 8 cu ft dumping hopper fits through a 34" opening
- 10 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70186	8 cu ft Wheelbarrow	38"H x 34"W x 62"D	Wt: 247 lb
70179	8 cu ft Wheelbarrow with Power Dump	38"H x 34"W x 62"D	Wt: 276 lb
70182	10 cu ft Wheelbarrow	38"H x 36"W x 64"D	Wt: 250 lb
70213	10 cu ft Wheelbarrow with Power Dump	38"H x 36"W x 64"D	Wt: 279 lb





Power dump feature on 70260

FEATURES

- 24V 400W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 9 Cu ft dumping hopper, fits through a 36" opening
- Power dump utilizes an all electric actuator
- Low profile hopper is 30" from the ground
- Hopper dimensions: 14"H x 36"W x 62"D
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70202	9 cu ft Wagon	38"H x 36"W x 81"D	Wt: 263 lb
70260	9 cu ft Wagon with Power Dump	38"H x 36"W x 81"D	Wt: 297 lb



70173



Power Dump



70236



70174



70255

FEATURES

- 24V 400W electric direct drive motor
- 24V 39A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 8 cu ft dumping hopper fits through a 34" opening
- 10 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70236	8 cu ft Wheelbarrow	38"H x 36"W x 65"D	Wt: 346 lb
70174	8 cu ft Wheelbarrow with Power Dump	38"H x 36"W x 65"D	Wt: 376 lb
70255	10 cu ft Wheelbarrow	38"H x 36"W x 67"D	Wt: 349 lb
70173	10 cu ft Wheelbarrow with Power Dump	38"H x 36"W x 67"D	Wt: 379 lb





70303



70310



Power Dump shown on 70303

FEATURES

- 24V 400W electric direct drive motor
- 24V 39A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 9 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Low profile hopper is 30" from the ground
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

- | | | |
|--------------|--------------------------------------|------------|
| 70310 | 9 cu ft Wagon | |
| | 38"H x 36"W x 81"D | Wt: 381 lb |
| 70303 | 9 cu ft Wagon with Power Dump | |
| | 38"H x 36"W x 81"D | Wt: 389 lb |

**UPGRADED
600W
MOTOR**



70363



Power Dump



70360



70361



70362

FEATURES

- 24V 600W electric direct drive motor
- 24V 39A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 8 cu ft dumping hopper fits through a 34" opening
- 10 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70360	8 cu ft Wheelbarrow 38"H x 34"W x 62"D	Wt: 271 lb
70361	10 cu ft Wheelbarrow 38"H x 36"W x 64"D	Wt: 274 lb
70362	8 cu ft Wheelbarrow with Power Dump 38"H x 34"W x 62"D	Wt: 301 lb
70363	10 cu ft Wheelbarrow with Power Dump 38"H x 36"W x 64"D	Wt: 304 lb

MADE IN THE USA  **3 YEAR LTD WARRANTY**
★★★

UPGRADED
600W
MOTOR



70368



Power dump & quick release shown

FEATURES

- 24V 600W electric direct drive motor
- 24V 39A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 9 Cu ft powered dumping hopper, fits through a 36" opening
- Power dump utilizes an all electric actuator
- Hopper dimensions: 14"H x 36"W x 62"D
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70368 **9 cu ft Wagon with Power Dump**
38"H x 36"W x 82"L Wt: 326 lb

**UPGRADED
950W
MOTOR**



70327



70396



Power dump feature on 70327

FEATURES

- 24V 950W electric direct drive motor
- 24V 39A rechargeable AGM battery packs (qty: 2)
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 10 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

- | | | |
|--------------|---|------------|
| 70396 | 8 cu ft Wheelbarrow with Power Dump | |
| | 38"H x 34"W x 62"D | Wt: 309 lb |
| 70327 | 10 cu ft Wheelbarrow with Power Dump | |
| | 38"H x 36"W x 64"D | Wt: 312 lb |



**UPGRADED
950W
MOTOR**



70328



FEATURES

- 24V 950W electric direct drive motor
- 24V 39A rechargeable AGM battery packs (qty: 2)
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 9 cu ft dumping hopper fits through a 36" opening
- Power dump utilizes an all electric actuator
- Low profile hopper is 30" from the ground
- Hopper dimensions: 14"H x 36"W x 62"D
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70328 **9 cu ft Wagon with Power Dump**
 38"H x 36"W x 82"L Wt: 334 lb



70291



70211

FEATURES

- 24V 400W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- **70291** has 13" flat free turf tires
- **70211** has 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- Dumping base fits through a 34" opening
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70291	29" x 51" Utility Platform Cart 38"H x 29"W x 65"L	Wt: 250 lb
70211	Utility Hopper Cart 38"H x 33"W x 65"L	Wt: 326 lb



Removable Sides





70229



67477

FEATURES

- 24V 400W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 13" flat free dual ag tires
- 10" flat free rear swivel wheels
- 3/4 cu yd dumping hopper fits through a 34" opening
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70229	3/4 Cu Yard Trash Cart 46" H X 33" W X 65" L	Wt: 223 lb
67477	Fabric Lid for Trash Cart 6.75" H x 29" W x 55" L	Wt: 4 lb





70177



70176



Shown with ends removed



70268

FEATURES

- 24V 400W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- 15" flotation tires
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- Easy Wagon bed: 16.5"H x 28"W x 46"L
- Easy Wagon XT Platform: 1"H x 28"W x 74"L
- 750 lb capacity on flat surfaces

MODELS

70176	Easy Wagon 57"H x 28"W x 54"L	Wt: 265 lb
70177	Easy Wagon XT 57"H x 28"W x 82"L	Wt: 288 lb
70268	4WD Easy Wagon XT 57"H x 28"W x 82"L	Wt: 310 lb



The Easy Wagon and Easy Wagon XT are equipped with our E-Track ratchet system. 12 ft E-strap sold separately.



UPGRADED
600W
MOTOR



70220



FEATURES

- 24V 600W electric direct drive motor
- 24V 24A rechargeable AGM battery pack
- 24V 5A AGM on-board charger
- 13" flat free single ag tires
- 40" Handle height designed to clear gate doors
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- Steel tray is 52"L x 21"W x 8"D
- Front roller for improved mobility over uneven floors
- 750 lb capacity on flat surfaces
- 2,000 lb capacity Champion winch
- 5/32" x 25 ft galvanized steel cable

MODELS

70220

Hog Hauler Cart

51"H x 28.5"W x 55"L

Wt: 244 lb





70274



70276

FEATURES

- 24V 400W electric direct drive motor
- 24V 39A rechargeable AGM battery
- 24V 5A AGM on-board charger
- Top speed of 7 mph
- Twist throttle with battery indicator lights
- Forward and reverse
- Thumb switch activated horn
- Yellow for high visibility
- All day battery life
- 400 lb capacity on flat surfaces (excludes rider)

MODELS

70274	ShopHawk Stand On Cart	
	53"H x 24"W x 45"D	Wt: 303 lb
70276	ShopHawk Power Cruiser	
	53"H x 24"W x 34.5"D	Wt: 303 lb



SEE IT IN ACTION!

Scan the QR code to see the ShopHawk in action, and hear how they've proven to be a benefit in our own warehouses.



**UPGRADED
950W
MOTOR**



70410



70409

FEATURES

- 24V 950W electric direct drive motor
- 24V 39A rechargeable AGM battery pack
- 24V 5A AGM charger with storage tote
- Top speed of 3.5 mph
- 15" flotation tires
- 10 cu ft steel utility box with removable panels
- 10 cu ft polyethylene hopper fits through 36" opening
- Stand on platforms
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 400 lb capacity on flat surfaces (excludes rider)

MODELS

70409 10 Cu Ft Ride on Cart with Flotation Tires

50"H x 36"W x 88"D Wt: 318 lb

70410 Ride on Cart with Utility Hopper

50"H x 32"W x 79"D Wt: 385 lb



70409

**UPGRADED
600W
MOTOR**



70391



70426

FEATURES

- 24V 600W electric direct drive motor
- 24V 24A AGM or 24V 20A lithium rechargeable battery pack
- 24V 5A charger with storage tote
- 15" flotation/turf tires
- 10" flat free rear swivel wheels
- Comes with new wider foot plate that extends over the wheels
- Attachments sold separately
- Toolless quick-change attachment system
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

- 70425 Transformer with 15" Turf Tires - AGM**
40"H x 28"W x 72"D Wt: 238 lb
- 70426 Transformer with Flat Free Dual Ag Tires - AGM**
40"H x 33"W x 72"D Wt: 274 lb
- 70391 Transformer with 15" Turf Tires - Lithium**
40"H x 28"W x 72"D Wt: 225 lb
- 70413 Transformer with Flat Free Dual Ag Tires - Lithium**
40"H x 33"W x 72"D Wt: 261 lb
- 70196 Fork Attachment**
10"H x 28"W x 24"D Wt: 47 lb
- 70197 Multi Mover Attachment**
33"H x 28"W x 29"D Wt: 54 lb



Shown with 70196 Fork Attachment



Shown with 70197 Multi Mover Attachment



UPGRADED
600W
MOTOR



70392



FEATURES


- 24V 600W electric direct drive motor
- 24V 24A AGM or 24V 20A lithium rechargeable battery pack
- 24V 5A charger with storage tote
- 13" flat free turf tires
- 10" flat free rear swivel wheels
- Folding Foot Plate: 27"W x 31"L
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 750 lb capacity on flat surfaces

MODELS

70422	Multi Mover XT - AGM	38"H x 28"W x 70"D	Wt: 225 lb
70424	Multi Mover XT with Flat Free Dual Ag Tires - AGM	38"H x 33"W x 70"D	Wt: 261 lb
70392	Multi Mover XT - Lithium	38"H x 28"W x 70"D	Wt: 212 lb
70423	Multi Mover XT with Flat Free Dual Ag Tires - Lithium	38"H x 33"W x 70"D	Wt: 248 lb

1400 SERIES HAND TRUCKS

UPGRADED
1400W
MOTOR



70418



FEATURES

- 36V 1400W electric direct drive motor
- 36V 36A rechargeable lithium battery pack or 36V 24A rechargeable AGM battery pack
- 36V 5A charger with storage tote
- 16" all terrain tires are designed for excellent all around performance
- 31" frame to hold inflatables, tables, chairs and sandbags.
- Reinforced transaxle for handling big loads day after day
- E-Ratchet and D ring mounts built into the frame
- **70418 & 70415** have a 3,500 lb wireless winch features a 50 foot synthetic cable designed to work well with inflatables
- Oversize foot plate: 31"W x 15.5"D
- Twist throttle with battery indicator lights
- Forward and reverse
- All day battery life
- 1,200 lb capacity on hard flat surfaces

MODELS

70384	Mega Herc - AGM	80" L x 39.5" H x 34" W	Wt: 326 lb
70418	Mega Herc - AGM with Wireless Winch	80" L x 39.5" H x 34" W	Wt: 366 lb
70416	Mega Herc - Lithium	80" L x 39.5" H x 34" W	Wt: 306 lb
70415	Mega Herc - Lithium with Wireless Winch	80" L x 39.5" H x 34" W	Wt: 346 lb

MADE IN THE
USA **1 YEAR LTD
WARRANTY**
★★★

REPLACEMENT PARTS - GENERAL



Throttle Kit
PI-08-0053



Fwd/Rev Switch - OLD
PI-08-0061



Fwd/Rev Switch - NEW
PI-08-0145



E-Stop Switch
PI-08-0075



Power Dump Switch
PI-08-0067



15A Circuit Breaker
PI-08-0086



Rear Swivel Caster with 10"
Flat Free Tire
PI-06-0055



Battery Indicator
PI-08-0108



12A AGM Battery - 12v
PI-11-0159



22/24A AGM Battery
PI-11-0215




35/39A AGM Battery
PI-11-0025



20/23AH Lithium Battery
PI-11-0271



Green Toolbag
PI-11-0262



White Hub for 13"
Tires - 5/8" ID
PI-06-0118



Black Hub for 13"
Tires - 3/4" ID
MI-12-6689



24V 22/24AH AGM
Battery Pack
with 30A Breaker
(Undermount)
70124



24V 22/24AH AGM
Battery Pack
with 30A Breaker
(Handlemount)
70348



24V 35/39AH AGM
Battery Pack
with 30A Breaker
70171



24V 5A AGM Charger
PI-11-0191



30A Circuit Breaker
PI-08-0045



400W Transaxle
PI-08-0048



24V Actuator for
Power Dump
PI-11-0154



S Drive 70 S Drive 90
PI-11-0149 PI-11-0189



13" Flat Free Turf Tire
PI-06-0163



13" Left Flat Free
Dual Ag Tire
PI-06-0136



13" Right Flat Free
Dual Ag Tire
PI-06-0137



13" Left Flat Free
Single Ag Tire
PI-06-0147



3" Right Flat Free
Single Ag Tire
PI-06-0148



15" Turf Tire
Drive Wheel PI-06-0131



15" Turf Tire
Non-Drive Wheel
PI-06-0142



24V 35/39 AH AGM
Battery Pack
with 40A Breaker
70339



24V 5A AGM Charger
PI-11-0191



24V 20/23AH Lithium
Battery Pack
with 40A Breaker
70354



24V 5A Lithium Charger
PI-11-0270



40A Circuit Breaker
PI-08-0200



600W Transaxle
PI-08-0146



24V Actuator for
Power Dump
PI-11-0154



S Drive 90
PI-11-0189



13" Right Flat Free Dual Ag
Tire - 3/4" Hub
PI-06-0180



13" Left Flat Free Dual Ag
Tire - 3/4" Hub
PI-06-0179



15" Turf Tire Drive Wheel
3/4" Black Hub
PI-06-0184



22/24 AH AGM
Battery Pack
with 40A Breaker
70420

950 SERIES

REPLACEMENT PARTS



24V 35/39 AH AGM Battery Pack with 40A Breaker 70339



24V 5A AGM Charger PI-11-0191



40A Circuit Breaker PI-08-0200



24V 950W Transaxle PI-08-0107



24V Actuator for Power Dump PI-11-0154



S Drive 140 PI-11-0256



13" Left Flat Free Dual Ag Tire - 3/4" Hub PI-06-0179



13" Right Flat Free Dual Ag Tire - 3/4" Hub PI-06-0180

1400 SERIES

REPLACEMENT PARTS



36V 5A AGM Charger PI-11-0243



36V 5A Lithium Charge PI-11-0273



36V 22A/24A AGM Battery Pack with 50A Breaker 70381



36V 33A/36A Lithium Battery Pack with 50A Breaker 70403



S Drive 200 PI-11-0253



Kenda 16" All Terrain Tire PI-06-0188
1400W Transaxle Hub PI-11-0250



50A Circuit Breaker PI-08-0199



36V 1400W Transaxle PI-08-0098



6 cu ft Garden
Wagon Hopper
PI-11-0151



7 cu ft Garden
Wheelbarrow Hopper
PI-11-0150



8 cu ft
Wheelbarrow Hopper
PI-11-0181



10 cu ft
Wheelbarrow Hopper
PI-11-0152



9 cu ft Wagon Hopper
PI-11-0165



20 cu ft Heavy Duty
Trash Hopper
PI-11-0178

We think our products are pretty great.

But don't just take our word for it. Here's what some of our customers have had to say.

This is exactly what I hoped it was and just what I needed. On time delivery. Any questions I had were answered as I asked them. Build is beyond compare and miles ahead of the overseas products.

Michael in ME

In three days this cart moved 30,000 pounds of redimix concrete bags on a small remote island in SE Alaska. My 13 year old son ran the cart with over half of that amount, and I ran the rest.

Cart is well built, solid, and does fairly well on uneven ground. Battery lasts a full day of use for us. I ordered a second battery for easy of swapping immediately. I would not have thought to order the dump feature, but appreciate it, even for easy unloading with gravity. Service from Overland was exceptional, and I couldn't be happier.

Zach in AK

Zach also submitted the photo being used on our cover.

This gadget is EXACTLY what we were hoping it would be. Well-made, awesome design, high load capacity, strong motor, great traction, simple to operate, and best of all ... came fully assembled, charged, and ready to roll. Very happy with this power wagon, and have many ranch-jobs stacked up in the queue to take advantage of it.

Rusty in OR

What a great product. Far exceeded my expectations. Great company to work with. Can't do enough for you. Nice to have such a good support.

Ron in PA

Love my power cart with power dump. It is also horse approved!

Lourie in NH

This is a game changer for our barn clean up. Very well made in USA. Simple operation. Endless uses. Seniors with livestock need to have this!

Dennis in MD



MANUFACTURED BY **GRANITE INDUSTRIES**

PH: 877-447-2648 | GRANITEIND.COM | ARCHBOLD, OH